

Abbeydorney Cistercian abbey: Chancel east Co. Kerry, Desmond



Measurements

Light1		Light2	
width	0.370	width	0.390
overall height	2.523	overall height	2.521
height to spring	2.410	height to spring	2.393
Light3		Window	
width	0.373	overall width	1.132
overall height	2.521	overall height	3.923
height to spring	2.389	height to spring	2.839
Arch		Mullion 1	
span	1.259	width	0.162
height from spring	1.084		
		Mullion 2	
		width	0.160

Units

Most likely: 0.224m
Within 10%: 0.252
Within 20%:

Proportions

		Light/ Mullion1	Light/ Mullion2	Light/ Mullion3
	Single			
TFH/LHSP		0.450	0.453	0.454
TFH/LHAP		0.430	0.430	0.430
TFH/OWH	0.276			
OWW/OWH	0.289			
OWW/WHS	0.399			
OWH/AS	0.899			
LW/LHSP		0.153	0.163	0.156
LW/LHAP		0.147	0.155	0.148
LW/OWW		0.327	0.344	0.329
LW/OWH		0.094	0.099	0.095
LW/AS		0.294	0.310	0.296
OWW/LHSP		0.470	0.473	0.474
OWW/LHAP		0.449	0.449	0.449
MW/OWW		0.143	0.142	
MW/LW		0.438	0.415	0.434
MW/LW		0.434	0.411	0.430

Abbeydorney Cistercian abbey: Nave west Co. Kerry, Desmond



Measurements

Light1	m
width	0.368
overall height	2.007
height to spring	1.860
Light2	
width	0.368
overall height	2.004
height to spring	1.867
Window	
overall width	0.734
overall height	2.589
height to spring	1.870
Arch	
span	0.787
height from spring	0.718
Mullion 1	
width	0.132

Units (m)

Most likely: 0.241
Within 10%: 0.287
Within 20%: 0.267

Proportions

		Light/ Mullion1	Light/ Mullion2
	Single		
TFH/LHSP		0.386	0.385
TFH/LHAP		0.358	0.359
TFH/OWH	0.278		
OWW/OWH	0.284		
OWW/WHS	0.393		
OWH/AS	0.932		
LW/LHSP		0.198	0.197
LW/LHAP		0.183	0.184
LW/OWW		0.501	0.501
LW/OWH		0.142	0.142
LW/AS		0.467	0.467
OWW/LHSP		0.395	0.393
OWW/LHAP		0.366	0.366
MW/OWW		0.180	
MW/LW		0.359	0.358

Adare Augustinian priory: Chancel east

Co. Limerick, Desmond



Measurements

Light1		Light2	
width	0.828	width	0.841
overall height	4.682	overall height	4.652
height to spring	3.200	height to spring	3.210
Light3		Light4	
width	0.827	width	0.846
overall height	4.658	overall height	4.642
height to spring	3.174	height to spring	3.192
Light5		Window	
width	0.832	overall width	4.172
overall height	4.679	overall height	7.134
height to spring	3.209	height to spring	3.202
Arch		Mullion 2	
span	4.628	width	0.260
height from spring	3.939		
		Mullion 3	
Mullion 1		width	0.260
width	0.253		
		Mullion 4	
		width	0.268

Units

Most likely: 0.366m
Within 10%: 0.367
Within 20%:

Proportions

		Light/ Mullion1	Light/ Mullion2	Light/ Mullion3	Light/ Mullion4	Light/ Mullion5
	Single					
TFH/LHSP	0.000	0.812	0.815	0.806	0.810	0.815
TFH/LHAP	0.000	0.841	0.847	0.846	0.849	0.842
TFH/OWH	0.552					
OWW/OWH	0.585					
OWW/WHS	0.449					
OWH/AS	0.902					
LW/LHSP	0.000	0.259	0.262	0.260	0.265	0.259
LW/LHAP	0.000	0.177	0.181	0.177	0.182	0.178
LW/OWW	0.000	0.198	0.202	0.198	0.203	0.199
LW/OWH	0.000	0.116	0.118	0.116	0.119	0.117
LW/AS	0.000	0.179	0.182	0.179	0.183	0.180
OWW/LHSP	0.000	0.767	0.769	0.761	0.765	0.769
OWW/LHAP	0.000	0.891	0.897	0.896	0.899	0.892
MW/OWW	0.000	0.061	0.062	0.062	0.064	
MW/LW	0.000	0.306	0.301	0.309	0.314	
MW/LW	0.000	0.314	0.307	0.317	0.322	

Adare Augustinian priory: Nave south, eastern Co. Limerick, Desmond



Measurements

Light1	m
width	0.674
overall height	3.340
height to spring	2.193
Light2	
width	0.687
overall height	3.349
height to spring	2.219
Window	
overall width	1.361
overall height	3.752
height to spring	2.212
Arch	
span	1.624
height from spring	1.550
Mullion 1	
width	0.125


Units

Most likely: 0.295m
Within 10%: 0.245 0.257 0.341 0.342
Within 20%: 0.256 0.258 0.343

Proportions

		Light/ Mullion1	Light/ Mullion2
	Single		
TFH/LHSP	0.000	0.707	0.698
TFH/LHAP		0.464	0.463
TFH/OWH	0.413		
OWW/OWH	0.363		
OWW/WHS	0.615		
OWH/AS	0.838		
LW/LHSP		0.307	0.309
LW/LHAP		0.202	0.205
LW/OWW		0.495	0.505
LW/OWH		0.180	0.180
LW/AS		0.415	0.423
OWW/LHSP		0.621	0.613
OWW/LHAP		0.407	0.406
MW/OWW		0.092	
MW/LW		0.185	0.182

Adare Augustinian priory: Nave south, mid eastern Co. Limerick, Desmond



Measurements

Light1		Light2	
width	0.747	width	0.743
overall height	3.038	overall height	3.045
height to spring	1.901	height to spring	1.898
Light3		Window	
width	0.728	overall width	2.217
overall height	3.032	overall height	3.848
height to spring	1.886	height to spring	1.893
Mullion 1		Arch	
width	0.136	span	2.245
		height from spring	1.957
Mullion 2			
width	0.134		

Units

Most likely: 0.290m
Within 10%: 0.246 0.268 0.282
Within 20%: 0.223

Proportions

		Light/ Mullion1	Light/ Mullion2	Light/ Mullion3
	Single			
TFH/LHSP	0.000	0.972	0.970	0.963
TFH/LHAP		0.644	0.643	0.646
TFH/OWH	0.509			
OWW/OWH	0.576			
OWW/WHs	0.854			
OWH/AS	0.987			
LW/LHSP		0.393	0.392	0.386
LW/LHAP		0.246	0.244	0.240
LW/OWW		0.337	0.335	0.329
LW/OWH		0.194	0.193	0.189
LW/AS		0.333	0.331	0.324
OWW/LHSP		0.858	0.856	0.851
OWW/LHAP		0.730	0.728	0.731
MW/OWW		0.061	0.061	
MW/LW		0.182	0.183	0.186
MW/LW		0.180	0.181	0.184

Adare Augustinian priory: Nave south, mid western Co. Limerick, Desmond



Measurements

Light1		Light2	
width	0.720	width	0.726
overall height	3.107	overall height	3.136
height to spring	1.963	height to spring	1.958
Light3		Window	
width	0.722	overall width	2.167
overall height	3.155	overall height	3.967
height to spring	1.846	height to spring	1.980
Mullion 1		Arch	
width	0.132	span	2.230
		height from spring	1.993
Mullion 2			
width	0.130		

Units

Most likely: 0.270m
Within 10%: 0.294
Within 20%: 0.260 0.268 0.291 0.361

Proportions

		Light/ Mullion1	Light/ Mullion2	Light/ Mullion3
	Single			
TFH/LHSP	0.000	0.985	0.982	0.977
TFH/LHAP		0.641	0.636	0.632
TFH/OWH	0.502			
OWW/OWH	0.546			
OWW/WSH	0.913			
OWH/AS	0.972			
LW/LHSP		0.367	0.371	0.371
LW/LHAP		0.232	0.232	0.229
LW/OWW		0.332	0.335	0.333
LW/OWH		0.181	0.183	0.182
LW/AS		0.323	0.326	0.324
OWW/LHSP		0.906	0.903	0.898
OWW/LHAP		0.698	0.691	0.687
MW/OWW		0.061	0.060	
MW/LW		0.183	0.182	0.183
MW/LW		0.180	0.179	0.180

Adare Augustinian priory: Nave south, western Co. Limerick, Desmond



Measurements

Light1		Light2	
width	0.785	width	0.591
overall height	1.613	overall height	1.614
height to spring	1.411	height to spring	1.048
Light3		Window	
width	0.770	overall width	2.033
overall height	1.627	overall height	3.369
height to spring	1.409	height to spring	1.603
Mullion 1		Arch	
width	0.138	span	2.067
		height from spring	1.767
Mullion 2			
width	0.141		

Units

Most likely: 0.214m
Within 10%: 0.212 0.280 0.294
Within 20%: 0.282 0.293 0.295 0.296 0.305

Proportions

		Light/ Mullion1	Light/ Mullion2	Light/ Mullion3
	Single			
TFH/LHSP	0.000	0.798	0.797	0.797
TFH/LHAP		0.913	0.913	0.921
TFH/OWH	0.525			
OWW/OWH	0.603			
OWW/WHs	0.788			
OWH/AS	0.984			
LW/LHSP		0.556	0.420	0.547
LW/LHAP		0.487	0.367	0.473
LW/OWW		0.386	0.291	0.379
LW/OWH		0.233	0.176	0.229
LW/AS		0.380	0.286	0.373
OWW/LHSP		0.694	0.693	0.693
OWW/LHAP		0.793	0.794	0.800
MW/OWW		0.068	0.069	
MW/LW		0.176	0.233	0.179
MW/LW		0.180	0.238	0.183

Adare Augustinian priory: South transept east Co. Limerick, Desmond



Measurements

Light1		Light2	
width	0.649	width	0.674
overall height	3.876	overall height	3.881
height to spring	2.592	height to spring	2.953
Light3		Light4	
width	0.665	width	0.658
overall height	3.897	overall height	3.900
height to spring	2.569	height to spring	2.590
Window		Arch	
overall width	2.645	span	3.100
overall height	5.670	height from spring	3.072
height to spring	2.601		
Mullion 1		Mullion 3	
width	0.188	width	0.200
Mullion 2			
width	0.195		

Units

Most likely: 0.266m
Within 10%:
Within 20%:

Proportions

		Light/ Mullion1	Light/ Mullion2	Light/ Mullion3	Light/ Mullion4
	Single				
TFH/LHSP	0.000	0.844	0.844	0.836	0.843
TFH/LHAP		0.792	0.791	0.788	0.787
TFH/OWH	0.542				
OWW/OWH	0.466				
OWW/WHS	0.983				
OWH/AS	0.853				
LW/LHSP		0.250	0.260	0.259	0.254
LW/LHAP		0.168	0.174	0.171	0.169
LW/OWW		0.246	0.255	0.251	0.249
LW/OWH		0.115	0.119	0.117	0.116
LW/AS		0.209	0.217	0.214	0.212
OWW/LHSP		0.980	0.980	0.971	0.979
OWW/LHAP		0.682	0.682	0.679	0.678
MW/OWW		0.071	0.074	0.076	
MW/LW		0.289	0.279	0.290	
MW/LW		0.294	0.301	0.304	

Adare Augustinian priory: South transept south, eastern Co. Limerick, Desmond



Measurements

Light1		Light2	
width	0.627	width	0.660
overall height	2.755	overall height	2.748
height to spring	1.820	height to spring	1.825
Light3		Window	
width	0.637	overall width	1.924
overall height	2.764	overall height	3.490
height to spring	1.814	height to spring	1.822
Arch		Mullion 1	
span	1.933	width	0.185
height from spring	1.667		
		Mullion 2	
		width	0.194

Units

Most likely: 0.250m
Within 10%:
Within 20%: 0.249 0.361 0.366

Proportions

		Light/ Mullion1	Light/ Mullion2	Light/ Mullion3
	Single			
TFH/LHSP	0.000	0.916	0.914	0.919
TFH/LHAP		0.605	0.607	0.603
TFH/OWH	0.478			
OWW/OWH	0.551			
OWW/WHS	0.947			
OWH/AS	0.995			
LW/LHSP		0.345	0.362	0.351
LW/LHAP		0.228	0.240	0.230
LW/OWW		0.326	0.343	0.331
LW/OWH		0.180	0.189	0.182
LW/AS		0.324	0.341	0.329
OWW/LHSP		0.946	0.949	0.943
OWW/LHAP		0.698	0.700	0.696
MW/OWW		0.096	0.101	
MW/LW		0.296	0.281	0.291
MW/LW		0.309	0.293	0.304

Adare Augustinian priory: South transept south, western Co. Limerick, Desmond



Measurements

Light1		Light2	
width	0.641	width	0.667
overall height	2.808	overall height	2.790
height to spring	1.851	height to spring	1.872
Light3		Window	
width	0.641	overall width	1.948
overall height	2.806	overall height	3.473
height to spring	1.854	height to spring	1.832
Arch		Mullion 1	
span	1.971	width	1.181
height from spring	1.641		
		Mullion 2	
		width	0.190

Units

Most likely: 0.366m
Within 10%: 0.243 0.367 0.371
Within 20%: 0.242 0.255 0.324 0.368 0.370

Proportions

		Light/ Mullion1	Light/ Mullion2	Light/ Mullion3
	Single			
TFH/LHSP	0.000	0.887	0.877	0.885
TFH/LHAP		0.584	0.588	0.585
TFH/OWH	0.473			
OWW/OWH	0.561			
OWW/WHS	0.940			
OWH/AS	0.989			
LW/LHSP		0.347	0.356	0.346
LW/LHAP		0.228	0.239	0.228
LW/OWW		0.329	0.342	0.329
LW/OWH		0.185	0.192	0.184
LW/AS		0.325	0.338	0.325
OWW/LHSP		0.950	0.961	0.952
OWW/LHAP		0.694	0.698	0.694
MW/OWW		0.093	0.098	
MW/LW		0.282	0.271	0.282
MW/LW		0.297	0.285	0.297

Adare Augustinian priory: South transept west Co. Limerick, Desmond



Measurements

Light1	m
width	0.892
overall height	2.355
height to spring	1.996
Light2	
width	0.786
overall height	2.355
height to spring	2.027
Window	
overall width	1.228
overall height	3.712
height to spring	2.003
Arch	
span	1.416
height from spring	1.708
Mullion 1	
width	0.153

Units

Most likely: 0.214m
Within 10%: 0.223 0.224
Within 20%: 0.285 0.297 0.301 0.349

Proportions

		Light/ Mullion1	Light/ Mullion2
	Single		
TFH/LHSP	0.000	0.856	0.843
TFH/LHAP		0.725	0.725
TFH/OWH	0.460		
OWW/OWH	0.331		
OWW/WHS	0.613		
OWH/AS	0.867		
LW/LHSP		0.447	0.388
LW/LHAP		0.379	0.334
LW/OWW		0.727	0.640
LW/OWH		0.240	0.240
LW/AS		0.630	0.555
OWW/LHSP		0.615	0.606
OWW/LHAP		0.521	0.521
MW/OWW		0.125	
MW/LW		0.171	0.195

Adare Augustinian priory: West Co. Limerick, Desmond



Measurements

Light1		Light2	
width	0.735	width	0.754
overall height	3.563	overall height	3.575
height to spring	2.404	height to spring	2.428
Light3		Window	
width	0.759	overall width	2.248
overall height	3.610	overall height	4.380
height to spring	2.427	height to spring	2.315
Arch		Mullion 1	
span	2.296	width	0.128
height from spring	2.065		
		Mullion 2	
		width	0.129

Units

Most likely: 0.248m
Within 10%: 0.250 0.278
Within 20%: 0.249 0.268

Proportions

		Light/ Mullion1	Light/ Mullion2	Light/ Mullion3
	Single			
TFH/LHSP	0.000	0.859	0.851	0.851
TFH/LHAP		0.580	0.578	0.572
TFH/OWH	0.472			
OWW/OWH	0.513			
OWW/WHS	0.971			
OWH/AS	0.979			
LW/LHSP		0.306	0.310	0.313
LW/LHAP		0.206	0.211	0.210
LW/OWW		0.327	0.335	0.338
LW/OWH		0.168	0.172	0.173
LW/AS		0.320	0.328	0.331
OWW/LHSP		0.935	0.926	0.926
OWW/LHAP		0.631	0.629	0.623
MW/OWW		0.057	0.057	
MW/LW		0.174	0.170	0.169
MW/LW		0.175	0.171	0.170

Adare Franciscan Friary: Chancel east Co. Limerick, Desmond



Measurements

Light1		Light2	
width	0.669	width	0.662
overall height	3.563	overall height	3.535
height to spring	2.499	height to spring	2.468
Light3		Light4	
width	0.664	width	0.617
overall height	3.549	overall height	3.580
height to spring	2.480	height to spring	2.502
Window		Arch	
overall width	2.612	span	3.456
overall height	4.977	height from spring	2.577
height to spring	2.453		
Mullion 1		Mullion 3	
width	0.175	width	0.158
Mullion 2			
width	0.169		

Units

Most likely: 0.337m
Within 10%: 0.265 0.333 0.334 0.335
Within 20%: 0.332 0.334 0.335 0.369 0.370 0.371

Proportions

		Light/ Mullion1	Light/ Mullion2	Light/ Mullion3	Light/ Mullion4
	Single				
TFH/LHSP		0.970	0.958	0.963	0.971
TFH/LHAP		0.723	0.729	0.726	0.720
TFH/OWH	0.518				
OWW/OWH	0.525				
OWW/WHS	0.939				
OWH/AS	0.756				
LW/LHSP		0.268	0.268	0.268	0.247
LW/LHAP		0.188	0.187	0.187	0.172
LW/OWW		0.256	0.254	0.254	0.236
LW/OWH		0.134	0.133	0.133	0.124
LW/AS		0.193	0.192	0.192	0.179
OWW/LHSP		0.957	0.957	0.950	0.958
OWW/LHAP		0.733	0.739	0.736	0.729
MW/OWW		0.067	0.065	0.061	
MW/LW		0.262	0.264	0.255	
MW/LW		0.254	0.238	0.256	

Adare Franciscan Friary: South transept south Co. Limerick, Desmond



Measurements

Light1		Light2	
width	0.534	width	0.591
overall height	3.435	overall height	3.462
height to spring	2.298	height to spring	2.280
Light3		Light4	
width	0.582	width	0.602
overall height	3.448	overall height	3.440
height to spring	2.281	height to spring	2.328
Window		Arch	
overall width	2.297	span	2.497
overall height	4.934	height from spring	2.248
height to spring	2.743		
Mullion 1		Mullion 3	
width	0.149	width	0.152
Mullion 2			
width	0.141		

Units

Most likely: 0.294m
Within 10%: 0.295 0.344
Within 20%: 0.219 0.235 0.296 0.299 0.300 0.344

Proportions

		Light/ Mullion1	Light/ Mullion2	Light/ Mullion3	Light/ Mullion4
	Single				
TFH/LHSP	0.000	0.978	0.986	0.986	0.966
TFH/LHAP		0.654	0.649	0.652	0.653
TFH/OWH	0.456				
OWW/OWH	0.466				
OWW/WHS	0.837				
OWH/AS	0.920				
LW/LHSP		0.232	0.259	0.255	0.259
LW/LHAP		0.155	0.171	0.169	0.175
LW/OWW		0.232	0.257	0.254	0.262
LW/OWH		0.108	0.120	0.118	0.122
LW/AS		0.214	0.237	0.233	0.241
OWW/LHSP		0.999	0.999	0.993	0.987
OWW/LHAP		0.669	0.663	0.666	0.668
MW/OWW		0.065	0.062	0.066	
MW/LW		0.279	0.252	0.239	
MW/LW		0.243	0.261	0.252	

Adare Franciscan Friary: South transept west, northern Co. Limerick, Desmond



Measurements

Light1	m
width	0.468
overall height	2.100
height to spring	1.615
Light2	
width	0.466
overall height	2.112
height to spring	1.617
Window	
overall width	0.934
overall height	2.491
height to spring	1.684
Arch	
span	2.137
height from spring	0.836
Mullion 1	
width	0.140

Units

Most likely: 0.371m
Within 10%: 0.280 0.281
Within 20%:

Proportions

		Light/ Mullion1	Light/ Mullion2
	Single		
TFH/LHSP	0.000	0.518	0.517
TFH/LHAP		0.398	0.396
TFH/OWH	0.336		
OWW/OWH	0.375		
OWW/WHS	0.554		
OWH/AS	0.437		
LW/LHSP		0.290	0.288
LW/LHAP		0.223	0.221
LW/OWW		0.501	0.499
LW/OWH		0.188	0.188
LW/AS		0.219	0.218
OWW/LHSP		0.578	0.577
OWW/LHAP		0.445	0.442
MW/OWW		0.150	
MW/LW		0.300	0.301

Adare Franciscan Friary: South transept west, southern Co. Limerick, Desmond



Measurements

Light1	m
width	0.408
overall height	1.831
height to spring	1.357
Light2	
width	0.418
overall height	1.850
height to spring	1.343
Window	
overall width	0.826
overall height	2.303
height to spring	2.015
Arch	
span	2.054
height from spring	0.299
Mullion 1	
width	0.146

Units

Most likely: 0.237m
Within 10%:
Within 20%: 0.238

Proportions

		Light/ Mullion1	Light/ Mullion2
	Single		
TFH/LHSP	0.000	0.220	0.222
TFH/LHAP		0.163	0.161
TFH/OWH	0.130		
OWW/OWH	0.358		
OWW/WHS	0.410		
OWH/AS	0.402		
LW/LHSP		0.301	0.311
LW/LHAP		0.223	0.226
LW/OWW		0.494	0.506
LW/OWH		0.177	0.177
LW/AS		0.198	0.203
OWW/LHSP		0.608	0.615
OWW/LHAP		0.451	0.446
MW/OWW		0.177	
MW/LW		0.358	0.349

Adare Trinitarian: Chancel east

Co. Limerick, Desmond



Measurements

Light1		Light2	
width	0.828	width	0.825
overall height	4.136	overall height	4.090
height to spring	2.954	height to spring	2.943
Light3		Light4	
width	0.818	width	0.830
overall height	4.091	overall height	4.068
height to spring	2.911	height to spring	2.912
Window		Arch	
overall width	3.295	span	3.258
overall height	5.332	height from spring	2.432
height to spring	2.901		
Mullion 1		Mullion 3	
width	0.174	width	0.169
Mullion 2			
width	0.167		

Units

Most likely: 0.348m
Within 10%: 0.349
Within 20%: 0.250 0.306 0.332

Proportions

		Light/ Mullion1	Light/ Mullion2	Light/ Mullion3	Light/ Mullion4
	Single				
TFH/LHSP		0.823	0.826	0.836	0.835
TFH/LHAP		0.588	0.595	0.595	0.598
TFH/OWH	0.456				
OWW/OWH	0.618				
OWW/WHS	0.881				
OWH/AS	0.989				
LW/LHSP		0.280	0.280	0.281	0.285
LW/LHAP		0.200	0.202	0.200	0.204
LW/OWW		0.251	0.250	0.248	0.252
LW/OWH		0.155	0.155	0.153	0.156
LW/AS		0.254	0.253	0.251	0.255
OWW/LHSP		0.897	0.897	0.883	0.884
OWW/LHAP		0.797	0.806	0.805	0.810
MW/OWW		0.053	0.051	0.051	
MW/LW		0.210	0.211	0.203	
MW/LW		0.205	0.206	0.204	

Adare Trinitarian: Nave south, eastern Co. Limerick, Desmond



Measurements

Light1	m
width	0.527
overall height	2.635
height to spring	2.042
Light2	
width	0.530
overall height	2.641
height to spring	2.049
Window	
overall width	1.057
overall height	3.178
height to spring	2.080
Arch	
span	1.447
height from spring	1.109
Mullion 1	
width	0.182

Units

Most likely: 0.303m
Within 10%: 0.302 0.304 0.361 0.362 0.363
Within 20%: 0.317

Proportions

		Light/ Mullion1	Light/ Mullion2
	Single		
TFH/LHSP		0.543	0.541
TFH/LHAP		0.421	0.420
TFH/OWH	0.349		
OWW/OWH	0.333		
OWW/WHS	0.508		
OWH/AS	0.730		
LW/LHSP		0.258	0.259
LW/LHAP		0.200	0.201
LW/OWW		0.499	0.502
LW/OWH		0.166	0.166
LW/AS		0.364	0.366
OWW/LHSP		0.518	0.516
OWW/LHAP		0.401	0.400
MW/OWW		0.172	
MW/LW		0.345	0.343

Adare Trinitarian: Nave south, mid Co. Limerick, Desmond



Measurements

Light1	m
width	0.512
overall height	2.687
height to spring	2.128
Light2	
width	0.501
overall height	2.690
height to spring	2.126
Window	
overall width	1.013
overall height	3.222
height to spring	2.137
Arch	
span	1.460
height from spring	1.095
Mullion 1	
width	0.186

Units

Most likely: 0.336m
Within 10%:
Within 20%:

Proportions

		Light/ Mullion1	Light/ Mullion2
	Single		
TFH/LHSP		0.514	0.515
TFH/LHAP		0.407	0.407
TFH/OWH	0.340		
OWW/OWH	0.314		
OWW/WHS	0.474		
OWH/AS	0.694		
LW/LHSP		0.241	0.236
LW/LHAP		0.191	0.186
LW/OWW		0.506	0.495
LW/OWH		0.159	0.159
LW/AS		0.351	0.343
OWW/LHSP		0.476	0.477
OWW/LHAP		0.377	0.377
MW/OWW		0.184	
MW/LW		0.364	0.372

Adare Trinitarian: Nave south, western Co. Limerick, Desmond



Measurements

Light1	m
width	0.364
overall height	3.125
height to spring	2.381
Light2	
width	0.410
overall height	
height to spring	
Window	
overall width	0.961
Arch	
span	1.272
height from spring	1.190
Mullion 1	
width	0.157

Units

Most likely: 0.275m
Within 10%: 0.272
Within 20%:

Proportions

		Light/ Mullion1	Light/ Mullion2
	Single		
TFH/LHSP	0.500		
TFH/LHAP	0.381		
TFH/OWH			
OWW/OWH			
OWW/WHS			
OWH/AS			
LW/LHSP	0.153		
LW/LHAP	0.117		
LW/OWW			
LW/OWH			
LW/AS	0.286	0.322	
OWW/LHSP			
OWW/LHAP			
MW/OWW			
MW/LW	0.432	0.384	

Aghaboe Dominican friary: Chancel east

Co. Laois, Ormond borders



Measurements

Light1		Light2	
width	0.604	width	0.613
overall height	2.262	overall height	2.391
height to spring	1.970	height to spring	1.976
Light3		Window	
width	0.610	overall width	1.827
overall height	2.246	overall height	3.783
height to spring	1.974	height to spring	2.156
Arch		Mullion 1	
span	2.687	width	0.156
height from spring	1.695		
		Mullion 2	
		width	0.154


Units

Most likely: 0.307m
Within 10%: 0.219 0.231 0.232 0.308 0.359
Within 20%: 0.228 0.306 0.343 0.344 0.358

Proportions

		Light/ Mullion1	Light/ Mullion2	Light/ Mullion3
	Single			
TFH/LHSP		0.860	0.858	0.859
TFH/LHAP		0.749	0.709	0.754
TFH/OWH	0.448			
OWW/OWH	0.483			
OWW/WHS	0.847			
OWH/AS	0.680			
LW/LHSP		0.307	0.310	0.309
LW/LHAP		0.267	0.256	0.272
LW/OWW		0.331	0.336	0.334
LW/OWH		0.160	0.162	0.161
LW/AS		0.225	0.228	0.227
OWW/LHSP		0.928	0.925	0.926
OWW/LHAP		0.808	0.764	0.814
MW/OWW		0.085	0.085	
MW/LW		0.258	0.254	0.256
MW/LW		0.256	0.252	0.253

Aghagower church: Chancel east Co. Mayo, Connaught



Measurements

Light1		Light2	
width	0.374	width	0.421
overall height	1.942	overall height	1.953
height to spring	1.782	height to spring	1.766
Light3		Window	
width	0.395	overall width	1.173
overall height	1.934	overall height	2.871
height to spring	1.774	height to spring	1.790
Arch		Mullion 1	
span	1.399	width	0.130
height from spring	1.081		
		Mullion 2	
		width	0.131

Units

Most likely: 0.254m
Within 10%: 0.253
Within 20%:

Proportions

		Light/ Mullion1	Light/ Mullion2	Light/ Mullion3
	Single			
TFH/LHSP		0.607	0.612	0.610
TFH/LHAP		0.557	0.554	0.559
TFH/OWH	0.377			
OWW/OWH	0.409			
OWW/WHS	0.655			
OWH/AS	0.839			
LW/LHSP		0.210	0.238	0.223
LW/LHAP		0.193	0.216	0.204
LW/OWW		0.319	0.359	0.336
LW/OWH		0.130	0.147	0.137
LW/AS		0.268	0.301	0.282
OWW/LHSP		0.658	0.664	0.661
OWW/LHAP		0.604	0.601	0.607
MW/OWW		0.111	0.112	
MW/LW		0.347	0.309	0.329
MW/LW		0.351	0.312	0.333

Ardfert cathedral: South transept east Co. Kerry, Desmond



Measurements

Light1		Light2	
width	0.458	width	0.411
overall height	2.420	overall height	2.422
height to spring	2.269	height to spring	2.254
Light3		Light4	
width	0.421	width	0.461
overall height	2.429	overall height	2.432
height to spring	2.268	height to spring	2.270
Window		Arch	
overall width	1.735	span	1.812
overall height	4.177	height from spring	1.552
height to spring	2.625		
Mullion 1		Mullion 3	
width	0.127	width	0.126
Mullion 2			
width	0.125		

Units

Most likely: 0.260m
Within 10%: 0.261
Within 20%: 0.232

Proportions

		Light/ Mullion1	Light/ Mullion2	Light/ Mullion3	Light/ Mullion4
	Single				
TFH/LHSP		0.684	0.688	0.684	0.684
TFH/LHAP		0.641	0.641	0.639	0.638
TFH/OWH	0.372				
OWW/OWH	0.415				
OWW/WHS	0.661				
OWH/AS	0.957				
LW/LHSP		0.202	0.183	0.186	0.203
LW/LHAP		0.189	0.170	0.173	0.189
LW/OWW		0.264	0.237	0.243	0.266
LW/OWH		0.110	0.098	0.101	0.110
LW/AS		0.252	0.227	0.232	0.254
OWW/LHSP		0.765	0.765	0.765	0.764
OWW/LHAP		0.717	0.716	0.714	0.713
MW/OWW		0.073	0.072	0.072	
MW/LW		0.277	0.308	0.303	
MW/LW		0.296	0.298	0.273	

Ardfert Franciscan friary: South transept east Co. Kerry, Desmond



Measurements

Light1	m
width	0.374
overall height	1.667
height to spring	1.524
Light2	
width	0.401
overall height	1.664
height to spring	1.507
Window	
overall width	0.775
overall height	2.396
height to spring	1.519
Arch	
span	0.870
height from spring	0.877
Mullion 1	
width	0.126

Units

Most likely: 0.266m
Within 10%:
Within 20%: 0.238 0.265

Proportions

		Light/ Mullion1	Light/ Mullion2
	Single		
TFH/LHSP		0.575	0.582
TFH/LHAP		0.526	0.527
TFH/OWH	0.366		
OWW/OWH	0.324		
OWW/WHS	0.510		
OWH/AS	0.891		
LW/LHSP		0.246	0.266
LW/LHAP		0.225	0.241
LW/OWW		0.483	0.517
LW/OWH		0.156	0.156
LW/AS		0.430	0.461
OWW/LHSP		0.508	0.514
OWW/LHAP		0.465	0.466
MW/OWW		0.163	
MW/LW		0.337	0.315

Ardfert Franciscan friary: South transept south Co. Kerry, Desmond



Measurements

Light1		Light2	
width	0.469	width	0.432
overall height	2.444	overall height	2.455
height to spring	2.300	height to spring	2.286
Light3		Light4	
width	0.432	width	0.462
overall height	2.458	overall height	2.464
height to spring	2.291	height to spring	2.295
Window		Arch	
overall width	1.781	span	1.829
overall height	4.224	height from spring	1.562
height to spring	2.662		
Mullion 1		Mullion 3	
width	0.125	width	0.123
Mullion 2			
width	0.123		

Units

Most likely: 0.264m
Within 10%:
Within 20%: 0.263

Proportions

		Light/ Mullion1	Light/ Mullion2	Light/ Mullion3	Light/ Mullion4
	Single				
TFH/LHSP		0.679	0.683	0.682	0.681
TFH/LHAP		0.639	0.636	0.636	0.634
TFH/OWH	0.370				
OWW/OWH	0.422				
OWW/WHS	0.669				
OWH/AS	0.974				
LW/LHSP		0.204	0.189	0.188	0.201
LW/LHAP		0.192	0.176	0.176	0.187
LW/OWW		0.264	0.242	0.242	0.259
LW/OWH		0.111	0.102	0.102	0.109
LW/AS		0.257	0.236	0.236	0.252
OWW/LHSP		0.774	0.774	0.777	0.776
OWW/LHAP		0.729	0.725	0.724	0.723
MW/OWW		0.067	0.069	0.069	
MW/LW		0.253	0.276	0.285	
MW/LW		0.286	0.285	0.266	

Askeaton Franciscan friary: Chancel east Co. Limerick, Desmond



Measurements

Light1		Light2	
width	0.561	width	0.612
overall height	4.279	overall height	4.279
height to spring	3.102	height to spring	3.123
Light3		Light4	
width	0.613	width	0.605
overall height	4.287	overall height	4.282
height to spring	3.113	height to spring	3.135
Light5		Window	
width	0.572	overall width	2.959
overall height	4.268	overall height	6.599
height to spring	3.115	height to spring	3.340
Arch			
span	4.458		
height from spring	3.344		
Mullion 1		Mullion 3	
width	0.163	width	0.169
Mullion 2		Mullion 4	
width	0.173	width	0.162

Units

Most likely: 0.347m
Within 10%: 0.228
Within 20%: 0.247

Proportions

	Single	Light/ Mullion1	Light/ Mullion2	Light/ Mullion3	Light/ Mullion4	Light/ Mullion5
TFH/LHSP		0.928	0.934	0.931	0.938	0.932
TFH/LHAP		0.781	0.781	0.780	0.781	0.783
TFH/OWH	0.507					
OWW/OWH	0.448					
OWW/WHS	0.506					
OWH/AS	0.664					
LW/LHSP		0.181	0.196	0.197	0.193	0.184
LW/LHAP		0.131	0.143	0.143	0.141	0.134
LW/OWW		0.190	0.207	0.207	0.205	0.193
LW/OWH		0.085	0.093	0.093	0.092	0.087
LW/AS		0.126	0.137	0.138	0.136	0.128
OWW/LHSP		0.954	0.947	0.951	0.944	0.950
OWW/LHAP		0.691	0.691	0.690	0.691	0.693
MW/OWW		0.055	0.058	0.057	0.055	
MW/LW		0.290	0.266	0.283	0.282	
MW/LW		0.275	0.279	0.267	0.283	

Askeaton Franciscan friary: North transept east, northern Co. Limerick, Desmond



Measurements

Light1	m
width	0.600
overall height	2.554
height to spring	2.263
Light2	
width	0.584
overall height	2.554
height to spring	2.234
Window	
overall width	1.183
overall height	3.663
height to spring	3.027
Arch	
span	2.596
height from spring	0.644
Mullion 1	
width	0.175

Units

Most likely: 0.335m
Within 10%: 0.239 0.334 0.349
Within 20%: 0.216 0.237 0.340 0.348

Proportions

		Light/ Mullion1	Light/ Mullion2
	Single		
TFH/LHSP		0.285	0.288
TFH/LHAP		0.252	0.252
TFH/OWH	0.176		
OWW/OWH	0.323		
OWW/WHS	0.391		
OWH/AS	0.456		
LW/LHSP		0.265	0.261
LW/LHAP		0.235	0.228
LW/OWW		0.507	0.493
LW/OWH		0.164	0.164
LW/AS		0.231	0.225
OWW/LHSP		0.523	0.530
OWW/LHAP		0.463	0.463
MW/OWW		0.148	
MW/LW		0.291	0.299

Askeaton Franciscan friary: Nave north, eastern Co. Limerick, Desmond



Measurements

Light1	m
width	0.794
overall height	2.062
height to spring	1.720
Light2	
width	0.779
overall height	2.062
height to spring	1.737
Window	
overall width	1.572
overall height	3.378
height to spring	2.152
Arch	
span	2.161
height from spring	1.304
Mullion 1	
width	0.153

Units

Most likely: 0.344m
Within 10%: 0.216 0.237 0.326
Within 20%: 0.260 0.294 0.317 0.325 0.327

Proportions

		Light/ Mullion1	Light/ Mullion2
	Single		
TFH/LHSP		0.758	0.751
TFH/LHAP		0.632	0.632
TFH/OWH	0.386		
OWW/OWH	0.465		
OWW/WHS	0.730		
OWH/AS	0.727		
LW/LHSP		0.461	0.448
LW/LHAP		0.385	0.378
LW/OWW		0.505	0.495
LW/OWH		0.235	0.235
LW/AS		0.367	0.360
OWW/LHSP		0.914	0.905
OWW/LHAP		0.763	0.762
MW/OWW		0.097	
MW/LW		0.193	0.197

Askeaton Franciscan friary: Nave north, western Co. Limerick, Desmond



Measurements

Light1		Light2	
width	0.512	width	0.543
overall height	2.735	overall height	2.753
height to spring	1.888	height to spring	1.885
Light3		Window	
width	0.533	overall width	1.583
overall height	2.743	overall height	3.611
height to spring	1.897	height to spring	2.092
Arch		Mullion 1	
span	2.858	width	0.133
height from spring	1.645		
		Mullion 2	
		width	0.130

Units

Most likely: 0.329m
Within 10%: 0.330
Within 20%: 0.215 0.328 0.343 0.344

Proportions

		Light/ Mullion1	Light/ Mullion2	Light/ Mullion3
	Single			
TFH/LHSP		0.871	0.872	0.867
TFH/LHAP		0.601	0.597	0.600
TFH/OWH	0.455			
OWW/OWH	0.438			
OWW/WHS	0.757			
OWH/AS	0.554			
LW/LHSP		0.271	0.288	0.281
LW/LHAP		0.187	0.197	0.194
LW/OWW		0.323	0.343	0.336
LW/OWH		0.142	0.150	0.148
LW/AS		0.179	0.190	0.186
OWW/LHSP		0.839	0.840	0.835
OWW/LHAP		0.579	0.575	0.577
MW/OWW		0.084	0.082	
MW/LW		0.260	0.246	0.250
MW/LW		0.254	0.240	0.244

Askeaton Franciscan friary: Nave south, eastern Co. Limerick, Desmond



Measurements

Light1		Light2	
width	0.523	width	0.526
overall height	2.666	overall height	2.669
height to spring	1.832	height to spring	1.834
Light3		Window	
width	0.512	overall width	1.560
overall height	2.674	overall height	3.604
height to spring	1.826	height to spring	2.329
Arch		Mullion 1	
span	2.742	width	0.123
height from spring	1.359		
		Mullion 2	
		width	0.121

Units

Most likely: 0.344m
Within 10%:
Within 20%: 0.343

Proportions

		Light/ Mullion1	Light/ Mullion2	Light/ Mullion3
	Single			
TFH/LHSP		0.742	0.741	0.744
TFH/LHAP		0.510	0.509	0.508
TFH/OWH	0.377			
OWW/OWH	0.433			
OWW/WHS	0.670			
OWH/AS	0.569			
LW/LHSP		0.286	0.287	0.280
LW/LHAP		0.196	0.197	0.191
LW/OWW		0.335	0.337	0.328
LW/OWH		0.145	0.146	0.142
LW/AS		0.191	0.192	0.187
OWW/LHSP		0.852	0.851	0.855
OWW/LHAP		0.585	0.585	0.584
MW/OWW		0.079	0.077	
MW/LW		0.235	0.233	0.240
MW/LW		0.231	0.230	0.236

Askeaton Franciscan friary: Nave south, mid Co. Limerick, Desmond



Measurements

Light1		Light2	
width	0.435	width	0.471
overall height	2.370	overall height	2.371
height to spring	1.767	height to spring	1.769
Light3		Window	
width	0.446	overall width	1.349
overall height	2.384	overall height	3.377
height to spring	1.772	height to spring	2.016
Arch		Mullion 1	
span	2.508	width	0.133
height from spring	1.416		
		Mullion 2	
		width	0.130

Units

Most likely: 0.265m
Within 10%: 0.264
Within 20%:

Proportions

		Light/ Mullion1	Light/ Mullion2	Light/ Mullion3
	Single			
TFH/LHSP		0.802	0.800	0.799
TFH/LHAP		0.597	0.597	0.594
TFH/OWH	0.419			
OWW/OWH	0.399			
OWW/WHS	0.669			
OWH/AS	0.538			
LW/LHSP		0.246	0.266	0.252
LW/LHAP		0.183	0.199	0.187
LW/OWW		0.322	0.349	0.330
LW/OWH		0.129	0.139	0.132
LW/AS		0.173	0.188	0.178
OWW/LHSP		0.764	0.763	0.762
OWW/LHAP		0.569	0.569	0.566
MW/OWW		0.098	0.097	
MW/LW		0.305	0.282	0.298
MW/LW		0.300	0.277	0.293

Askeaton Franciscan friary: Nave south, western Co. Limerick, Desmond



Measurements

Light1		Light2	
width	0.507	width	0.525
overall height	2.685	overall height	2.697
height to spring	1.855	height to spring	1.841
Light3		Window	
width	0.526	overall width	1.556
overall height	2.689	overall height	3.857
height to spring	1.847	height to spring	2.092
Arch		Mullion 1	
span	2.530	width	0.124
height from spring	1.871		
		Mullion 2	
		width	0.126

Units

Most likely: 0.348m
Within 10%: 0.347
Within 20%:

Proportions

		Light/ Mullion1	Light/ Mullion2	Light/ Mullion3
	Single			
TFH/LHSP		0.992	0.984	0.987
TFH/LHAP		0.697	0.694	0.696
TFH/OWH	0.485			
OWW/OWH	0.404			
OWW/WHS	0.744			
OWH/AS	0.615			
LW/LHSP		0.273	0.285	0.285
LW/LHAP		0.189	0.195	0.195
LW/OWW		0.326	0.337	0.338
LW/OWH		0.131	0.136	0.136
LW/AS		0.200	0.208	0.208
OWW/LHSP		0.839	0.845	0.843
OWW/LHAP		0.580	0.577	0.579
MW/OWW		0.080	0.081	
MW/LW		0.246	0.237	0.237
MW/LW		0.248	0.239	0.239

Askeaton Franciscan friary: Nave west Co. Limerick, Desmond



Measurements

Light1		Light2	
width	0.535	width	0.573
overall height	3.284	overall height	3.308
height to spring	2.369	height to spring	2.365
Light3		Window	
width	0.553	overall width	1.660
overall height	3.300	overall height	4.722
height to spring	2.392	height to spring	2.483
Arch		Mullion 1	
span	2.725	width	0.127
height from spring	2.293		
		Mullion 2	
		width	0.126

Units

Most likely: 0.354m
Within 10%:
Within 20%:

Proportions

		Light/ Mullion1	Light/ Mullion2	Light/ Mullion3
	Single			
TFH/LHSP		0.968	0.970	0.959
TFH/LHAP		0.698	0.693	0.695
TFH/OWH	0.486			
OWW/OWH	0.352			
OWW/WHs	0.669			
OWH/AS	0.609			
LW/LHSP		0.226	0.242	0.231
LW/LHAP		0.163	0.173	0.168
LW/OWW		0.322	0.345	0.333
LW/OWH		0.113	0.121	0.117
LW/AS		0.196	0.210	0.203
OWW/LHSP		0.701	0.702	0.694
OWW/LHAP		0.506	0.502	0.503
MW/OWW		0.077	0.076	
MW/LW		0.238	0.222	0.230
MW/LW		0.235	0.219	0.227

Athassal Augustinian priory: Chancel east Co. Tipperary, Ormond



Measurements

Light1		Light2	
width	0.586	width	0.656
overall height	3.483	overall height	3.567
height to spring	3.140	height to spring	3.164
Light3		Window	
width	0.600	overall width	1.841
overall height	3.493	overall height	4.854
height to spring	3.178	height to spring	3.128
Arch		Mullion 1	
span	2.058	width	0.208
height from spring	1.727		
		Mullion 2	
		width	0.203

Units

Most likely: 0.325m
Within 10%: 0.324
Within 20%:

Proportions

		Light/ Mullion 1	Light/ Mullion 2	Light/ Mullion 3
	Single			
TFH/LHSP		0.550	0.546	0.543
TFH/LHAP		0.496	0.484	0.494
TFH/OWH	0.356			
OWW/OWH	0.379			
OWW/WHS	0.588			
OWH/AS	0.895			
LW/LHSP		0.186	0.207	0.189
LW/LHAP		0.168	0.184	0.172
LW/OWW		0.318	0.356	0.326
LW/OWH		0.121	0.135	0.124
LW/AS		0.285	0.319	0.291
OWW/LHSP		0.586	0.582	0.579
OWW/LHAP		0.528	0.516	0.527
MW/OWW		0.113	0.110	
MW/LW		0.356	0.317	0.347
MW/LW		0.346	0.309	0.338

Athenry collegiate church: Nave south, eastern Co. Galway, Connaught



Measurements

Light1	m
width	0.659
overall height	1.823
height to spring	1.496
Light2	
width	0.655
overall height	1.835
height to spring	1.497
Window	
overall width	1.308
overall height	2.952
height to spring	1.508
Arch	
span	1.356
height from spring	1.445
Mullion 1	
width	0.162

Units

Most likely: 0.324m
Within 10%: 0.282 0.325
Within 20%:

Proportions

		Light/ Mullion1	Light/ Mullion2
	Single		
TFH/LHSP		0.965	0.965
TFH/LHAP		0.792	0.787
TFH/OWH	0.489		
OWW/OWH	0.443		
OWW/WHS	0.868		
OWH/AS	0.965		
LW/LHSP		0.440	0.438
LW/LHAP		0.361	0.357
LW/OWW		0.504	0.501
LW/OWH		0.223	0.223
LW/AS		0.486	0.483
OWW/LHSP		0.874	0.874
OWW/LHAP		0.718	0.713
MW/OWW		0.124	
MW/LW		0.246	0.247

Athenry collegiate church: Nave south, western Co. Galway, Connaught



Measurements

Light1	m
width	0.651
overall height	1.795
height to spring	1.481
Light2	
width	0.639
overall height	1.825
height to spring	1.512
Window	
overall width	1.214
overall height	2.918
height to spring	1.498
Arch	
span	1.297
height from spring	1.421
Mullion 1	
width	0.171

Units

Most likely: 0.361m
Within 10%: 0.360
Within 20%:

Proportions

		Light/ Mullion1	Light/ Mullion2
	Single		
TFH/LHSP		0.959	0.939
TFH/LHAP		0.791	0.778
TFH/OWH	0.487		
OWW/OWH	0.416		
OWW/WHS	0.811		
OWH/AS	0.936		
LW/LHSP		0.439	0.422
LW/LHAP		0.362	0.350
LW/OWW		0.536	0.526
LW/OWH		0.223	0.223
LW/AS		0.502	0.492
OWW/LHSP		0.820	0.803
OWW/LHAP		0.676	0.665
MW/OWW		0.141	
MW/LW		0.263	0.269

Athenry collegiate church: North transept north Co. Galway, Connaught



Measurements

Light1		Light2	
width	0.765	width	0.772
overall height		overall height	
height to spring	2.354	height to spring	2.393
Light3		Window	
width	0.770	overall width	2.304
overall height	2.939	overall height	4.309
height to spring	2.389	height to spring	2.406
Arch		Mullion 1	
span	2.356	width	0.164
height from spring	1.904		
		Mullion 2	
		width	0.153

Units

Most likely: 0.239m
Within 10%:
Within 20%:

Proportions

		Light/ Mullion1	Light/ Mullion2	Light/ Mullion3
	Single			
TFH/LHSP		0.809	0.796	0.797
TFH/LHAP				0.648
TFH/OWH	0.442			
OWW/OWH	0.535			
OWW/WSH	0.958			
OWH/AS	0.978			
LW/LHSP		0.325	0.323	0.322
LW/LHAP				0.262
LW/OWW		0.332	0.335	0.334
LW/OWH		0.178	0.179	0.179
LW/AS		0.325	0.327	0.327
OWW/LHSP		0.979	0.963	0.964
OWW/LHAP				0.784
MW/OWW		0.071	0.067	
MW/LW		0.215	0.213	0.214
MW/LW		0.201	0.199	0.199

Athenry collegiate church: South transept east Co. Galway, Connaught



Measurements

Light1	m
width	0.850
overall height	1.568
height to spring	1.315
Light2	
width	0.823
overall height	1.575
height to spring	1.314
Window	
overall width	1.662
overall height	2.762
height to spring	1.322
Arch	
span	1.678
height from spring	1.441
Mullion 1	
width	0.174

Units

Most likely: 0.331m
Within 10%:
Within 20%:

Proportions

		Light/ Mullion1	Light/ Mullion2
	Single		
TFH/LHSP		0.913	0.912
TFH/LHAP		0.919	0.915
TFH/OWH	0.522		
OWW/OWH	0.602		
OWW/WHS	0.796		
OWH/AS	0.990		
LW/LHSP		0.646	0.626
LW/LHAP		0.542	0.522
LW/OWW		0.511	0.495
LW/OWH		0.308	0.308
LW/AS		0.506	0.490
OWW/LHSP		0.792	0.791
OWW/LHAP		0.943	0.948
MW/OWW		0.105	
MW/LW		0.205	0.212

Athenry collegiate church: South transept south Co. Galway, Connaught



Measurements

Light1		Light2	
width	0.842	width	0.767
height to spring	2.765	height to spring	
Light3		Window	
width	0.834	overall width	2.169
height to spring	2.733	overall height	4.856
		height to spring	2.760
Arch		Mullion 1	
span	2.477	width	0.147
height from spring	2.096		
		Mullion 2	
		width	0.128

Units

Most likely: 0.331m
Within 10%: 0.281 0.282 0.329 0.330
Within 20%: 0.216 0.249 0.274 0.275 0.277 0.278 0.280 0.283 0.324 0.325 0.328 0.332 0.333 0.334

Proportions

		Light/ Mullion1	Light/ Mullion2	Light/ Mullion3
	Single			
TFH/LHSP		0.758		0.767
TFH/LHAP				
TFH/OWH	0.432			
OWW/OWH	0.447			
OWW/WSH	0.786			
OWH/AS	0.876			
LW/LHSP		0.305		0.305
LW/LHAP				
LW/OWW		0.388	0.354	0.384
LW/OWH		0.173	0.158	0.172
LW/AS		0.340	0.310	0.337
OWW/LHSP		0.784		0.794
OWW/LHAP				
MW/OWW		0.068	0.059	
MW/LW		0.175	0.192	0.177
MW/LW		0.152	0.167	0.154

Athenry Dominican priory: Chancel north, eastern Co. Galway, Connaught



Measurements

Light1	m
width	0.853
overall height	2.739
height to spring	2.289
Light2	
width	0.835
overall height	2.739
height to spring	2.280
Window	
overall width	1.661
overall height	3.710
height to spring	2.416
Arch	
span	1.769
height from spring	1.294
Mullion 1	
width	0.156

Units

Most likely: 0.228m
Within 10%:
Within 20%:

Proportions

	Single	Light/ Mullion1	Light/ Mullion2
TFH/LHSP		0.565	0.567
TFH/LHAP		0.472	0.472
TFH/OWH	0.349		
OWW/OWH	0.448		
OWW/WHS	0.688		
OWH/AS	0.939		
LW/LHSP		0.373	0.366
LW/LHAP		0.311	0.305
LW/OWW		0.513	0.502
LW/OWH		0.230	0.230
LW/AS		0.482	0.472
OWW/LHSP		0.726	0.729
OWW/LHAP		0.607	0.606
MW/OWW		0.094	
MW/LW		0.183	0.187

Athenry Dominican priory: Chancel east Co. Galway, Connaught



Measurements

Light1		Light2	
width	0.740	width	0.740
overall height	3.182	overall height	3.161
height to spring	2.796	height to spring	2.784
Light3		Light4	
width	0.705	width	0.755
overall height	3.168	overall height	3.145
height to spring	2.795	height to spring	2.791
Window		Arch	
overall width	2.939	span	2.972
overall height	5.294	height from spring	2.498
height to spring	2.800		
Mullion 1		Mullion 3	
width	0.151	width	0.133
Mullion 2			
width	0.140		

Units

Most likely: 0.279m
Within 10%:
Within 20%:

Proportions

		Light/ Mullion1	Light/ Mullion2	Light/ Mullion3	Light/ Mullion4
	Single				
TFH/LHSP		0.893	0.897	0.894	0.895
TFH/LHAP		0.785	0.790	0.788	0.794
TFH/OWH	0.472				
OWW/OWH	0.555				
OWW/WHS	0.953				
OWH/AS	0.989				
LW/LHSP		0.265	0.266	0.252	0.271
LW/LHAP		0.232	0.234	0.223	0.240
LW/OWW		0.252	0.252	0.240	0.257
LW/OWH		0.140	0.140	0.133	0.143
LW/AS		0.249	0.249	0.237	0.254
OWW/LHSP		0.951	0.951	0.951	0.950
OWW/LHAP		0.924	0.930	0.928	0.935
MW/OWW		0.051	0.048	0.045	
MW/LW		0.205	0.204	0.189	
MW/LW		0.198	0.189	0.176	

Athenry Dominican priory: Nave north, eastern Co. Galway, Connaught



Measurements

Light1	m
width	0.682
overall height	2.373
height to spring	1.616
Light2	
width	0.672
overall height	2.357
height to spring	1.603
Window	
overall width	1.342
overall height	2.875
height to spring	1.695
Arch	
span	1.392
height from spring	1.180
Mullion 1	
width	0.120

Units

Most likely: 0.254m
Within 10%:
Within 20%: 0.253

Proportions

		Light/ Mullion1	Light/ Mullion2
	Single		
TFH/LHSP		0.730	0.736
TFH/LHAP		0.497	0.500
TFH/OWH	0.410		
OWW/OWH	0.467		
OWW/WHS	0.792		
OWH/AS	0.964		
LW/LHSP		0.422	0.419
LW/LHAP		0.287	0.285
LW/OWW		0.508	0.500
LW/OWH		0.237	0.237
LW/AS		0.490	0.482
OWW/LHSP		0.831	0.837
OWW/LHAP		0.566	0.569
MW/OWW		0.089	
MW/LW		0.175	0.178

Athenry Dominican priory: Nave north, western Co. Galway, Connaught



Measurements

Light1	m
width	0.690
overall height	2.389
height to spring	1.636
Light2	
width	0.650
overall height	2.389
height to spring	1.639
Window	
overall width	1.329
overall height	2.884
height to spring	1.716
Arch	
span	1.402
height from spring	1.168
Mullion 1	
width	0.129

Units

Most likely: 0.245m
Within 10%:
Within 20%: 0.233 0.246 0.247

Proportions

		Light/ Mullion1	Light/ Mullion2
	Single		
TFH/LHSP		0.714	0.713
TFH/LHAP		0.489	0.489
TFH/OWH	0.405		
OWW/OWH	0.461		
OWW/WHS	0.774		
OWH/AS	0.948		
LW/LHSP		0.422	0.397
LW/LHAP		0.289	0.272
LW/OWW		0.520	0.489
LW/OWH		0.239	0.239
LW/AS		0.493	0.464
OWW/LHSP		0.812	0.811
OWW/LHAP		0.556	0.556
MW/OWW		0.097	
MW/LW		0.188	0.199

Athenry Dominican priory: North transept east southern Co. Galway, Connaught



Measurements

Light1	m
width	0.860
overall height	3.242
height to spring	2.342
Light2	
width	0.798
overall height	3.245
height to spring	2.339
Window	
overall width	1.640
overall height	3.859
height to spring	2.475
Arch	
span	1.666
height from spring	1.384
Mullion 1	
width	0.220

Units

Most likely: 0.350m
Within 10%: 0.220
Within 20%: 0.218 0.219 0.309 0.312 0.350

Proportions

		Light/ Mullion1	Light/ Mullion2
	Single		
TFH/LHSP		0.591	0.591
TFH/LHAP		0.427	0.426
TFH/OWH	0.359		
OWW/OWH	0.425		
OWW/WHS	0.662		
OWH/AS	0.984		
LW/LHSP		0.367	0.341
LW/LHAP		0.265	0.246
LW/OWW		0.525	0.487
LW/OWH		0.223	0.223
LW/AS		0.516	0.479
OWW/LHSP		0.700	0.701
OWW/LHAP		0.506	0.505
MW/OWW		0.134	
MW/LW		0.255	0.275

Athenry Dominican priory: North transept north Co. Galway, Connaught



Measurements

Light1		Light2	
width	1.034	width	0.984
overall height	3.772	overall height	3.780
height to spring	3.016	height to spring	3.018
Light3		Light4	
width	0.994	width	1.009
overall height	3.780	overall height	3.800
height to spring	2.999	height to spring	3.027
Window		Arch	
overall width	4.003	span	4.155
overall height	6.593	height from spring	3.425
height to spring	3.170		
Mullion 1		Mullion 3	
width	0.196	width	0.199
Mullion 2			
width	0.212		

Units

Most likely: 0.302m
Within 10%:
Within 20%:

Proportions

		Light/ Mullion1	Light/ Mullion2	Light/ Mullion3	Light/ Mullion4
TFH/LHSP		0.881	0.881	0.876	0.884
TFH/LHAP		0.908	0.906	0.906	0.901
TFH/OWH	0.519				
OWW/OWH	0.607				
OWW/WHS	0.792				
OWH/AS	0.963				
LW/LHSP		0.343	0.326	0.332	0.333
LW/LHAP		0.274	0.260	0.263	0.266
LW/OWW		0.258	0.246	0.248	0.252
LW/OWH		0.157	0.149	0.151	0.153
LW/AS		0.249	0.237	0.239	0.243
OWW/LHSP		0.753	0.753	0.749	0.756
OWW/LHAP		0.942	0.944	0.944	0.949
MW/OWW		0.049	0.053	0.050	
MW/LW		0.189	0.199	0.215	
MW/LW		0.213	0.200	0.197	

Athenry Dominican priory: North transept west Co. Galway, Connaught



Measurements

Light1	m
width	0.672
overall height	2.384
height to spring	1.633
Light2	
width	0.676
overall height	2.388
height to spring	1.632
Window	
overall width	1.335
overall height	2.902
height to spring	1.717
Arch	
span	1.392
height from spring	1.187
Mullion 1	
width	0.124

Units

Most likely: 0.298m
Within 10%:
Within 20%: 0.297

Proportions

		Light/ Mullion1	Light/ Mullion2
	Single		
TFH/LHSP		0.727	0.727
TFH/LHAP		0.498	0.497
TFH/OWH	0.409		
OWW/OWH	0.460		
OWW/WHS	0.778		
OWH/AS	0.959		
LW/LHSP		0.412	0.414
LW/LHAP		0.282	0.283
LW/OWW		0.504	0.506
LW/OWH		0.232	0.232
LW/AS		0.483	0.485
OWW/LHSP		0.818	0.818
OWW/LHAP		0.560	0.559
MW/OWW		0.093	
MW/LW		0.185	0.184

Athenry Dominican priory: Chancel south
Co. Galway, Connaught



Measurements

None taken due to access issues

Units

Proportions