

DUNDRUM-DS

Developmental Understanding of Drug Misuse & Dependence (Short Version)

Damian Smith¹, Duffy R¹, Darran Flynn¹, Luke Quirke¹, Stephen Monks¹, Harry G Kennedy^{1, 2, §}

¹ National Forensic Mental Health Service, Central Mental Hospital, Dundrum, Dublin 14, Ireland

² Department of Psychiatry, Trinity College, Dublin, Ireland.

§ Corresponding author:

Prof Harry G Kennedy kennedh@tcd.ie

The National Forensic Mental Health Service
Central Mental Hospital
Dundrum
Dublin 14
Ireland

Intoxicants Used?

Have you ever used _____? (Enquire about each of the following) Y/N

If **YES** to any listed intoxicant please complete the following table.
Then complete the table on the following page for each substance used.

	Yes	No	During this Admission/Period in Custody	Urine Toxicology Result on Admission/Committal (+/-)
Tobacco				
Glue/Solvent/Aerosol/Poppers				
Alcohol				
Cannabis (hash, weed, grass, green, puff, smoke, dope, pot, resin, blow, brown, herb)				
Head Shop – Cannabis (Purple haze, smoke)				
Ecstasy (Es, yokes, pills, ESB, MDMA, mitzies, XTC)				
Head Shop – party pills (Diablo, Storm, Giggles)				
Amphetamine (Speed, meth, crystal meth, uppers)				
Head Shop – Mephedrone (Snow blow, ivory wave, bath salts, snort, wildcat, Amplified)				
Hallucinogens- Mushrooms, LSD (Magic mushrooms, acid, trips)				
Cocaine (Coke, charlie, snort, blow, C, snow, crack)				
Heroin (Smack, brown, H, dope, gear)				
Benzodiazepines (Tablets, Benzos, D5s, D10s, D30s, Yellow, Blueys, Zimos, UpJohn 90s, Valium, Xanax, Dalmane, Zimovane)				
Other (specify)				
Other (specify)				

	Age at 1 st use	Period of heaviest use (age range)	Quantity used at that time	Variety used	Method of use	Last used (Days)	Consequences						Abuse (1 or more consequence + persistent use) Persistent use despite consequences	Dependence (3 or more for 1 month or repeatedly over a 1 year period)					Dx N E A D
							M	MH	O	S	F/RT	T		C	P	W/D	LOC		
Tobacco																			
Inhalants/ Solvents																			
Alcohol																			
Cannabis																			
Head Shop- Cannabis																			
Ecstasy																			
Head Shop- Party Pills																			
Amphetamine																			
Mephedrone																			
LSD/ Hallucinogens																			
Cocaine																			
Heroin																			
BDZs/Sleepers																			
Other(specify)																			
Other(specify)																			

Key: Consequences: M=Medical, MH=Mental Health, O=Occupational/Educational, S=Social/Relationship, F/RT=Forensic/Risk Taking
 Dependence criteria: T=Tolerance, C=Compulsion, P=Primacy, W/D=Withdrawal Symptoms +/- Relief Use, LOC=Loss of Control
 Diagnosis: N=Never, E=Ever, A=Abuse, D=Dependence

LIFE CHART

	<10	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
Tobacco																											
Inhalants/Solvents																											
Alcohol																											
Cannabis																											
H. Shop Cannabis																											
Ecstasy																											
H. Shop Party Pills																											
Amphetamine																											
Mephedrone																											
Hallucinogens																											
Cocaine																											
Heroin																											
Benzodiazepines																											
Other																											

	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60-69	>70
Tobacco																										
Inhalants/Solvents																										
Alcohol																										
Cannabis																										
H. Shop Cannabis																										
Ecstasy																										
H. Shop Party Pills																										
Amphetamine																										
Mephedrone																										
Hallucinogens																										
Cocaine																										
Heroin																										
Benzodiazepines																										
Other																										

Severity and Recency of Intoxicant Use

Complete the table below to specify:

- **Severity** of Substance Use Disorder – (Tick relevant severity specifier)
- **Recency** of Substance Use Disorder – (If meeting criteria for substance use disorder (Abuse or Dependence) specify days since last used and whether disorder is current or lifetime)

	SEVERITY				RECENCY (if meeting criteria for disorder)		
	Never	Ever, but Non- Problematic	Abuse	Dependence	Last Used? (days)	Current (within the last month)	Lifetime
Tobacco							
Inhalants / Solvents							
Alcohol							
Cannabis							
Head Shop Cannabis							
Ecstasy							
Head Shop Party Pills							
Amphetamine							
Mephedrone							
Hallucinogens							
Cocaine							
Heroin							
BDZs / Sleepers							
Other							